




QUICK REFERENCE GUIDE

BL9915 Li-ion BATTERY PACK




Product Layout



Check the Battery Level

Tap the icon of the battery level LED.

More blue lights indicate more remaining battery power.




Charge the Battery

CAUTION

- Use the charger approved by the Company.
- Read the Safety Information Booklet before charging.
- The remaining lithium-ion battery power is limited to 30% pursuant to the new lithium battery shipment regulation approved by the International Air Transport Association (IATA).
- Before initial use, charge the battery.
- When the repeater is not in use, remove the battery, and charge the battery regularly to avoid over-discharge.
- Charge the battery at 0–45°C to avoid safety hazards.
- For long time storage, charge the battery once every three months.


Use the charger to charge either the battery alone or the battery that is attached to the repeater.




You can check the charging status through the charging LED.

Charging LED	Description
Glows red	The battery is being charged.
Glows green	The battery is fully charged.
Flashes orange slowly	The battery is activated.
Flashes red rapidly	The battery stops charging due to any of the following: <ul style="list-style-type: none"> • The temperature is above 60°C. • The battery has been activated for more than 1.5 hours. • The battery has been charged for more than 16 hours. • The input voltage is too high or too low.
Flashes orange rapidly	<ul style="list-style-type: none"> • The battery is being charged slowly and cannot be fully charged because the temperature is from 45°C to 60°C. • The battery stops charging because the temperature is below 0°C.

Attach the Battery



Remove the Battery





is the trademark or registered trademark of Hytera Communications Corporation Limited.

© 2023 Hytera Communications Corporation Limited. All Rights Reserved.

Address: Hytera Tower, Hi-Tech Industrial Park North, 9108# Beihuan Road, Nanshan District, Shenzhen, P.R.C., P518057

<https://www.hytera.com>

5202010081418A